Orbital Approach to the Electronic Structure of Solids

ENRIC CANADELL

Institut de Ciència de Materials de Barcelona (CSIC)

MARIE-LIESSE DOUBLET

CNRS – University of Montpellier

CHRISTOPHE IUNG

University of Montpellier

OXFORD
UNIVERSITY PRESS

Contents

1	Elementary introduction to the transport properties of solids	1
1.1	Free electron model	1
1.1.1	One-dimensional system	2
1.1.2	Generalisation to a three-dimensional system	9
1.2	Conductivity of real solids	10
1.2.1	Factors influencing the conductivity	10
1.2.2	Band structure of real solids	11
1.2.3	Metallic behaviour	11
1.2.4	Semiconducting and insulating behaviour	12
1.2.5	Number of carriers	13
2	Electronic structure of molecules: use of symmetry	14
2.1	Molecular orbital theory	14
2.1.1	Born–Oppenheimer approximation	15
2.1.2	One-electron approximation	15
2.1.3	LCAO approximation	15
2.1.4	Secular equations and secular determinant	16
2.1.5	Basic features of the Hückel and extended Hückel methods	17
2.1.6	Symmetry properties of the molecular orbitals	18
2.2	A short review of the theory of symmetry point groups	19
2.2.1	Different symmetry point groups	19
2.2.2	Classes	21
2.2.3	Basis for an irreducible representation	22
2.3	Application to the study of the π system of regular cyclobutadiene	25
2.3.1	Decomposition of the $\Gamma(p_z)$ basis	26
2.3.2	Determination of the basis elements for different irreducible representations	27
2.3.3	Molecular orbital diagram of the π system of regular cyclobutadiene	30
2.4	Transition metal complexes	30
2.4.1	Ligands and formal oxidation state	31
2.4.2	The ML_6 octahedral complex	33
2.4.3	Distortions of a complex	39

3	Electronic structure of one-dimensional systems: basic notions	44
3.1	Bloch and crystal orbitals	45
3.1.1	Bloch orbitals	46
3.1.2	Crystal orbitals	49
3.2	Electronic structure of the model chain H_n	51
3.2.1	Representation of the $CO(\Gamma)$ and $CO(X)$ functions	51
3.2.2	Energy of the crystal orbitals in the Hückel approach	52
3.2.3	Band structure	54
3.2.4	Basis for an energy level $E(\pm\vec{k})$	55
3.2.5	Fermi level of the H_n chain	57
3.3	Electronic structure of the dimerised model chain $(H_2)_{n'}$	58
3.3.1	Formal determination of the band structure	58
3.3.2	Qualitative determination of the band structure	61
3.4	Comparison of the regular H_n and dimerised $(H_2)_{n'}$ chains	63
3.4.1	Comparison of the band structures of the regular H_n chain generated by either a simple or a double unit cell	63
3.4.2	Dimerisation in the H_n chain: notion of distortion in a periodic system	67
4	First-order Peierls distortions in periodic 1D systems	72
4.1	Analysis of the model system $(H^{0.5+})_n$	72
4.1.1	Effect of a tetramerisation on the Fermi level	73
4.1.2	Effect of a tetramerisation on the states near the Fermi level	74
4.1.3	Effect of a tetramerisation on the band structure	76
4.2	Analysis of first-order Peierls distortion in terms of a charge density wave	77
4.3	Nesting vector	81
4.4	Commensurate and incommensurate distortions	81
4.4.1	Commensurate distortion	81
4.4.2	Incommensurate distortion	83
4.4.3	Comparison	83
4.5	Conclusions	83
5	Application to <i>trans</i>-polyacetylene	85
5.1	Electronic structure of ethylene	86
5.2	Main aspects of the band structure for <i>trans</i> -polyacetylene	87
5.3	Detailed analysis of the band structure of <i>trans</i> -polyacetylene	88
5.4	Determination of the band structure of <i>trans</i> -polyacetylene using the fragment formalism	89
5.4.1	Calculation of the band structure by means of the Hückel approach	91
5.4.2	Qualitative determination of the band structure	92
5.5	Band gap opening at the Fermi level in <i>trans</i> -polyacetylene	93

6 Handling the symmetry in 1D compounds	96
6.1 Analysis of the A_n system	96
6.1.1 Analysis of the cyclic A_n system	96
6.1.2 Analysis of the linear A_n system	101
6.1.3 Notion of group of a k point	104
6.2 Application to the determination of the band structure for the A_n linear system, where A is an atom	104
6.2.1 Group of the different k points	105
6.2.2 Symmetry of the different Bloch orbitals	105
6.2.3 Bands associated with σ -type overlaps	107
6.2.4 Complete band structure	108
6.3 Band structure of the hypothetical $(\text{NaCl})_n$ chain	109
6.3.1 Group of the different k points	110
6.3.2 Bands associated with σ -type overlaps	110
6.3.3 Complete band structure	112
6.4 Consequences of the existence of a glide plane	113
6.4.1 Using point group symmetry properties in <i>trans</i> -polyacetylene	113
6.4.2 Complete space group (non-symmorphic) of <i>trans</i> -polyacetylene	115
6.4.3 Crystal orbitals of <i>trans</i> -polyacetylene by means of the non-symmorphic space group $G = T_n \otimes C_{2h} \otimes \{E, g_\sigma\}$	117
6.4.4 Concluding remarks	119
6.5 Work plan for the study of a 1D system	120
7 Application to polyacene	122
7.1 Band structure near the Fermi level	123
7.1.1 Unit cell definition	123
7.1.2 Symmetry analysis of the chain	123
7.1.3 Appropriate fragment orbitals	123
7.1.4 Crystal orbitals at the Γ and X points	124
7.1.5 π -type band structure of polyacene	126
7.2 Distortions in polyacene	128
7.2.1 Disappearance of the σ_{xy} symmetry plane	128
7.2.2 Disappearance of the σ_{yz} symmetry plane	128
7.3 General remarks concerning Peierls distortions	130
7.3.1 First-order Peierls distortions	130
7.3.2 Second-order Peierls distortions	131
8 Electronic structure of selected inorganic chains	133
8.1 KCP	133
8.1.1 Band structure of the eclipsed chain $[\text{Pt}(\text{CN})_4]^{(2-\delta)-}$	134
8.1.2 Band structure of KCP (staggered chain)	139
8.1.3 Conclusions	142
8.2 $(\text{ML}_4\text{L}')_n$ chains	143
8.2.1 Symmetry	143

8.2.2	Choice of the fragment orbitals to generate the Bloch orbitals	143
8.2.3	Analysis of the Bloch orbitals at the Γ and X points	144
8.2.4	Symmetry of the Bloch orbitals	144
8.2.5	Band structure	145
8.2.6	Study of the $(\text{ReCl}_4\text{N})_n$ chain	147
8.2.7	Electronic structure of the $(\text{Pt}(\text{NH}_2\text{Et})_4\text{Cl}^{2+})_n$ chain	149
8.3	Suggested studies	153
9	Electronic structure of 2D and 3D systems	157
9.1	Basic concepts	157
9.1.1	Direct and reciprocal lattices	157
9.1.2	Bloch and crystal orbitals	159
9.1.3	Brillouin zone	161
9.1.4	Symmetry and the Brillouin zone	162
9.2	Analysis of the electronic structure of 2D model systems	166
9.2.1	The square lattice $\frac{2}{\infty}[\text{H}_n]$ system	166
9.2.2	The square lattice $\frac{2}{\infty}[\text{A}_n]$ system	169
9.2.3	π -type band structure of hexagonal graphene layers	173
10	Density of states	181
10.1	Calculation and analysis of the density of states	181
10.1.1	Density of states	181
10.1.2	Projected density of states	183
10.1.3	Crystal orbital overlap population	185
10.2	Combined use of DOS and COOP: electronic structure of the MPS_3 layered phases	186
10.3	Step-by-step determination of the density of states: the $(\text{Pt}(\text{NH}_3)_4\text{Cl})^{2+}$ chain	188
10.4	Density of states and fragment molecular orbital interaction analysis: application to the $[(\text{C}_5\text{H}_5)\text{M}]$ chains	193
10.5	Transition metal diborides with the AlB_2 structure type: a 3D case study	196
11	Fermi surface and low-dimensional metals	203
11.1	Notion of Fermi surface	204
11.2	Nesting vector and electronic instabilities in low-dimensional metals	207
11.3	Monoclinic TaS_3 versus NbSe_3	210
11.3.1	Crystal structure and electron counting	211
11.3.2	Qualitative band structure	212
11.3.3	Qualitative Fermi surface: differences between NbSe_3 and TaS_3	214
11.4	Molybdenum bronzes	215

Contents

xiii

11.4.1	Octahedral distortions and t_{2g} level splitting in MoO_6 octahedra	216
11.4.2	MoO_5 chain with corner-sharing octahedra: counting of $2p$ oxygen antibonding contributions	217
11.4.3	$\text{A}_{0.33}\text{MoO}_3$ ($\text{A} = \text{K, Rb, Cs, Tl}$) 2D red bronzes: metallic or insulating?	219
11.4.4	$\text{A}_{0.3}\text{MoO}_3$ ($\text{A} = \text{K, Rb, Tl}$) blue bronzes: 2D solids with pseudo-1D behaviour	224
11.4.5	Looking for 1D systems where there seem to be none: the concept of hidden nesting	227
11.5	Low-dimensional molecular conductors	232
11.5.1	An archetypal molecular metal: $(\text{TMTSF})_2\text{PF}_6$	234
11.5.2	Chemically modifying the electronic structure of molecular conductors	235
11.5.3	Structurally complex materials with simple band structures	238
11.5.4	A case study: 1D vs 2D character of the carriers in some α phases of BEDT-TTF	242
11.5.5	Electronic structure and folding: how to relate the band structure and Fermi surface of different salts of the same family	247

12 Electron repulsion 256

12.1	From the Hückel model to the Hubbard model	256
12.1.1	The delocalised picture of H_2	256
12.1.2	The localised picture of H_2	260
12.1.3	From the molecule to the solid state	266
12.1.4	Application to one-band systems	269
12.2	Mean-field approaches	273
12.2.1	The many-body problem	273
12.2.2	The Hartree–Fock method	274
12.2.3	Density functional theory	281
12.3	Conclusion	287

Solutions for exercises 291

<i>Appendix: Character tables</i>	342
<i>Index</i>	345